

Buy-out **CATALOGUE**

July 2021

THE KITCHEN STUDIO

Buy-out **CATALOGUE**

INDEX

Elica

Falmec

Sige

Furniture

Bauhaus Collection

Italiana Fittings

TKS Fittings

Hettich

Franke sinks & taps

Rehau



elica EXTRACTORS

THE KITCHEN STUDIO

www.kitchenstudio.com

Grace

MADE IN ITALY



R 20 932

inc.Vat

ISLAND : 51CM

Stainless Steel + White Glass

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)

Noise Level min-max : 38-58 db(A)


Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm


Grease Filter aluminium

Optional remote control



Wave

MADE IN ITALY



R 15 807

inc.Vat

ISLAND : 51CM

Stainless Steel

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)

Noise Level min-max : 38-58 db(A)


Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm

Grease Filter aluminium

Optional remote control



Victoria

MADE IN ITALY



R 26 299

inc.Vat

ISLAND : 51CM

Stainless Steel + Glass

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)

Noise Level min-max : 38-58 db(A)


Pressure : 400Pa

Total Absorption : 290W

Duct Size : 150mm

Grease Filter aluminium

Optional remote control



Star

MADE IN ITALY



R 21 274

inc.Vat

ISLAND : 47CM

Stainless Steel + Glass

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)

Noise Level min-max : 38- 58 db(A)


Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm

Grease Filter aluminium

Optional remote control



Twin

MADE IN ITALY



R 28 009

inc.Vat

ISLAND : 90CM

Stainless Steel

Controls : Magic Wand

Lighting : Halo 1x40W + halo 6x28W

Min-max airflow : 300-800 (m3/h)

Noise Level min-max : 41- 61 db(A)


Pressure : 400Pa

Total Absorption : 378W

Duct Size : 150mm

Grease Filter aluminium

Optional remote control



Juliette Pearl

MADE IN ITALY



R 14 780

inc.Vat

ISLAND : 90CM

Stainless Steel + Pearl

Controls : 3S Soft Light Push Button

Lighting : Halo 2x20W + halo 6x28W

Min-max airflow : 300-630 (m3/h)


Noise Level min-max : 48- 66 db(A)

Pressure : 450Pa

Total Absorption : 383W

Duct Size : 120mm

Grease Filter aluminium




Dynamique

MADE IN ITALY



reddot design award
honourable mention 2012



R 22 297

inc.Vat

CAN BE USED AS WALL / ISLAND - 70CM

Controls : 3S + B electronic rotative

Lighting : Led 4x3W

Min-max airflow : 300-800 (m3/h)


Noise Level min-max : 47- 64 db(A)

Pressure : 440Pa

Total Absorption : 262W

Duct Size : 150mm

Grease Filter aluminium



Stone Gallery

MADE IN ITALY



R 11 645

inc.Vat

WALL : 80CM

Controls : 3S Soft light push button

Lighting : Halo 2x20W + LED 1x2W

Min-max airflow : 300-630 (m3/h)



Noise Level min-max : 46- 65 db(A)

Pressure : 450Pa

Total Absorption : 235W

Duct Size : 120 - 150mm

Grease Filter Stainless Steel



Elite

MADE IN ITALY



60CM

R 2 548

inc.Vat

90CM

R 2 878

inc.Vat

INTERGRATED : AVAILABLE IN BOTH 60CM / 90CM

Stainless Steel + Silver

Controls : 3S Mechanical Push Button

Lighting : Halo 2x28W

Min-max airflow : 300-500 (m3/h)


Noise Level min-max : 53- 62 db(A)

Pressure : 290Pa

Total Absorption : 170W

Duct Size : 120mm

Grease Filter aluminium



Joy Blix

MADE IN ITALY



R 4 915

inc.Vat

WALL : 90CM

Stainless Steel

Controls : 3S + B Touch control

Lighting : Halo 2x20W + halo 2x20W

Min-max airflow : 300-500 (m3/h)


Noise Level min-max : 46-53 db(A)

Pressure : 175Pa

Total Absorption : 210W

Duct Size : 150mm

Grease Filter aluminium



Tribe

MADE IN ITALY



R 8 032

inc.Vat

ISLAND : 90CM

Stainless Steel + Glass

Controls : Touch control

Lighting : Halo 2x20W

Min-max airflow : 224-448 (m3/h)


Noise Level min-max : 48-65 db(A)

Pressure : 334Pa

Total Absorption : 138W

Duct Size : 150mm

Grease Filter aluminium



Reef

MADE IN ITALY



60CM

R 5 557

inc.Vat

90CM

R 5 777

inc.Vat

WALL : AVAILABLE IN 60CM / 90CM

Stainless Steel + Glass

Controls : 3S + Touch control with display

Lighting : Halo 2x20W

Min-max airflow : 224-480 (m3/h)


Noise Level min-max : 48-65 db(A)

Pressure : 334Pa

Total Absorption : 137W

Duct Size : 150mm

Grease Filter aluminium



Tamaya

MADE IN ITALY




R 5 233

inc.Vat

WALL : AVAILABLE IN BLACK / BRONZE / ANTHRACITE

Controls : Push Button
Lighting : Halo 2x28W
Max airflow : 750 (m3/h)
Noise Level min-max : 48-65 db(A)
Pressure : 255Pa
Total Absorption : 236W
Duct Size : 150mm
Grease Filter aluminium



Nuage

MADE IN ITALY



R 17 135

inc.Vat

WALL : 76CM

PAINTABLE Stainless Steel

Controls : 3S + b electronic rotative

Lighting : strip LED 7W


Min-max airflow : 240-448 (m3/h)

Noise Level min-max : 49-62 db(A)

Total Absorption : 267W

Duct Size : 150mm

Grease Filter aluminium



Amelie

MADE IN ITALY





R 10 637

inc.Vat

WALL : 85CM

INCLUDES FRAME IN EITHER SOLID WOOD, VENEER OR DUCO.

version	recycling
controls	3s soft light push button
lighting	strip led 7w
iec airflow (m3/h)	240-647
noise level db(a)	43 - 66
total absorption (w)	247
duct size (mm)	150



Kuadra

MADE IN ITALY



R 13 869

inc.Vat

ISLAND : 60CM

Stainless Steel

Controls : 3S + b touch control with display

Lighting : 2x LED 2.5W


Min-max airflow : 495 (m3/h)

Noise Level min-max : 62 db(A)

Total Absorption : 255W

Duct Size : 150mm

Grease Filter aluminium



Belt

MADE IN ITALY



R 9 849

inc.Vat

WALL : 80CM

White Glass & Stainless Steel

Controls : 3S + b touch control

Lighting : 2x LED 2.5W


Min-max airflow : 690 (m3/h)

Noise Level min-max : 68 db(A)

Total Absorption : 265W

Duct Size : 150mm

Grease Filter aluminium



Capitol

MADE IN ITALY



R 9 849

inc.Vat

WALL : 80CM

White Glass & Stainless Steel

Controls : 3S + b electronic rotative

Lighting : Halo 2x 20W


Min-max airflow : 669 (m3/h)

Noise Level min-max : 67 db(A)

Total Absorption : 300W

Duct Size : 150mm

Grease Filter aluminium



Seashell

MADE IN ITALY



R 29 424

inc.Vat

ISLAND : 80CM

White Glass & Stainless Steel


Controls : 3S + b remote control

Lighting : Neon 4x24W

Min-max airflow : 400 (m3/h)

Noise Level min-max : 67 db(A)

Total Absorption : 346W



Ciak

MADE IN ITALY



60CM

R 3 145

inc.Vat

90CM

R 3 539

inc.Vat

INTERGRATED : AVAILABLE IN BOTH 60CM / 90CM

Stainless Steel & Glass

Controls : 3S Slider

Lighting : LED 2x2.5W



Min-max airflow : 255 (m3/h)

Noise Level min-max : 66 db(A)

Total Absorption : 120W

Duct Size : 120mm

Grease Filter aluminium



Era

MADE IN ITALY



60CM

R 3 445

inc.Vat

80CM

R 3 709

inc.Vat

INTERGRATED : AVAILABLE IN BOTH 60CM / 80CM
CAN BE USED AS WALL / ISLAND

Silver

Controls : 3S Slider

Lighting : LED 3W


Min-max airflow : 220 (m3/h)

Noise Level min-max : 54 db(A)

Total Absorption : 90W

Duct Size : 120mm

Grease Filter aluminium



Fragrance Diffuser

MADE IN ITALY



R 1 805

inc.Vat



WELL
BEING



NEUTRALYX
MOLECULE



ALCOHOL
FREE



EASY
TO USE



MOBILE



RECHARGEABLE



LITHIUM
BATTERY



COLD
TECHNOLOGY



marie




1 capsule



remote
control



lithium
battery



micro-USB

AC adaptor
recharge
kit






falmec EXTRACTORS

THE KITCHEN STUDIO

www.kitchenstudio.com



900mm AURORA WALL EXTRACTOR
800m³/h extraction
Colour changing light - up to 9 colours

R 18 193
inc.Vat




800mm ARIA NRS WALL EXTRACTOR
800m³/h extraction
ONLY IN BLACK

R 17 446
inc.Vat



900mm QUASAR WALL EXTRACTOR
800m³/h extraction

R 8 412
inc.Vat



1200mm QUASAR WALL EXTRACTOR
800m³/h extraction

R 9 614
inc.Vat



850mm MIRABILIA SQUARE PLATINUM ISLAND EXTRACTOR
800m³/h extraction

R 20 662
inc.Vat



670mm MIRABILIA SQUARE PLATINUM WALL EXTRACTOR
800m³/h extraction

R 15 961
inc.Vat



**970mm MIRABILIA SQUARE STRIPES
WALL EXTRACTOR**

800m³/h extraction

R 16 009
inc.Vat



**970mm MAIA SQUARE
WALL EXTRACTOR**

800m³/h extraction

R 18 670
inc.Vat



**850mm MIRABILIA SQUARE ISLAND
WITH ALPHABET GLASS**

800m³/h extraction

R 18 267
inc.Vat



**670mm MIRABILIA SQUARE WALL
WITH ALPHABET GLASS**

800m³/h extraction

R 10 614
inc.Vat



**850mm MIRABILIA ROUND ISLAND
WITH ZEBRA**

800m³/h extraction

R 16 973
inc.Vat



**670mm MIRABILIA ROUND WALL
WITH ZEBRA GLASS**

800m³/h extraction

R 15 961
inc.Vat



**670mm MIRABILIA PHARO
ROUND WALL**

800m³/h extraction

R 15 961
inc.Vat



**670mm MIRABILIA ROUND WALL
WITH MARGHERITA GLASS**

800m³/h extraction

R 15 961
inc.Vat



**670mm MIRABILIA ROUND WALL
WITH MANHATTAN GLASS**

800m³/h extraction

R 15 961
inc.Vat



**850mm MIRABILIA ROUND ISLAND
WITH MANHATTAN GLASS**

800m³/h extraction

R 16 346
inc.Vat



**850mm MIRABILIA ROUND ISLAND
WITH COMETA GLASS**

800m³/h extraction

R 16 973
inc.Vat



900mm BUTTERFLY ISLAND EXTRACTOR

800m³/h extraction
ONLY IN WHITE

R 30 191
inc.Vat



900mm DOWNDRAFT with remote
800m³/h extraction

WHITE ONLY

R 32 346
inc.Vat



750mm PRESTIGE ISLAND EXTRACTOR

800m³/h extraction
BLACK

R 35 363
inc.Vat



750mm PRESTIGE ISLAND EXTRACTOR

800m³/h extraction
WHITE

R 35 363
inc.Vat



650mm PRESTIGE WALL EXTRACTOR

800m³/h extraction
BLACK

R 28 540
inc.Vat



650mm PRESTIGE WALL EXTRACTOR

800m³/h extraction
WHITE

R 28 540
inc.Vat



900mm VELO WALL EXTRACTOR

800m³/h extraction

R 9 975

inc.Vat



600mm ALTAIR ISLAND EXTRACTOR

800m³/h extraction

R 14 924

inc.Vat



900mm DIAMANTE WALL EXTRACTOR

with remote

800m³/h extraction

R 14 527

inc.Vat



1200mm MASTER WALL EXTRACTOR

600m³/h extraction

R 12 838

inc.Vat



**1200mm CONCORDE
WALL EXTRACTOR**

800m³/h extraction

R 7 211
inc.Vat



**900mm SCOLAPPITTI PLATE
RACK**

R 2 404
inc.Vat



**900mm HORIZON ISLAND EXTRACTOR
NRS**

800m³/h extraction


R 16 657
inc.Vat



**1800mm HORIZON ISLAND EXTRACTOR
NRS**

2 X 800m³/h extraction

R 31 068
inc.Vat



CLOSED POSITION



OPEN POSITION

600mm GHOST WALL EXTRACTOR

700m³/h extraction

R 17 712
inc.Vat



600mm ARTEMIDE WALL EXTRACTOR

450m³/h extraction

R 5 856
inc.Vat



900mm ARTEMIDE WALL EXTRACTOR

450m³/h extraction

R 6 116
inc.Vat

Nuvola

MADE IN ITALY



R 26 486

inc.Vat

CEILING EXTRACTOR : 140CM

Motors and control
under roof motor 1000 m³/h (NEW MOTOR)

4 speed electronic control + remote control

Filters

"Base" 289,5x267 mm

Lighting


Neon Lamps 2x58W

Total connected load

Ducting diameter

150mm

Maximum distance from cooker top 150 cm



Twister

MADE IN ITALY



R 30 840

inc.Vat

ISLAND: 45CM

Alluminium structure titanium finishing
E.ion® technology for air purification
Perimeter suction with tempered glass
LED lighting
Top filter, removable and washable
Touch control + leaf sensor
Combined and regenerable Carbon.Zeo filter

Motor and control
450 m3/h 4 speed, touch control + leaf sensor

Filters
"Top" 235x245 mm

Carbon.Zeo filter


Lighting

LED lighting 3200K

Minimum distance to hob

Electric: 60 cm

Gas: refer to installation guide



Spazio

MADE IN ITALY

AVAILABLE IN
BLACK & STAINLESS STEEL



R 59 233

inc.Vat

ISLAND: 180CM

LED lighting

Metallic grease filter, removable and washable

Remote control included

Circle.Tech technology with Carbon.Zeo Filters

Smoked glass shelves

Equipped with power outlets and USB ports

Several accessories and additional functionalities available: ladle hanger, spices shelf, tablet holder, and plants growing kit

Available only in filtering version

Motor and control

600 m3/h

Type of control

Electronic control

Speed settings 4


Lighting

LED Strip (3000K)

Minimum distance

Electric hob: 52 cm

Gas hob: 65 cm



Sophie

MADE IN ITALY

AVAILABLE IN
ANTIQUÉ BRASS





R 39 810

inc.Vat

ISLAND: 54CM

Painted steel
LED lighting
Metallic grease filter, removable and washable
Optional remote control
Perimeter suction with tempered glass panel
Rotary Switch
Circle.Tech technology with Carbon.Zeo Filters
Painted Steel with Worn Brass finish

Motor and control
600 m3/h
Type of control
Rotary Switch
Speed settings 4
Lighting
LED Strip 18W (4200K)
Minimum distance
Electric hob: 52 cm
Gas hob: 53 cm





Kitchen Accessories

THE KITCHEN STUDIO

www.kitchenstudio.com



Infinity Plus 002+ MADE IN ITALY



150 Solid base pull-out basket
with left full extension slides,
soft closing.

R 1788

inc.Vat

Width :
Height :
Depth :
Weight :

110
515
295 / 445 / 495
10kg



Infinity Plus 004+ MADE IN ITALY



300 Solid base pull-out basket
with left full extension slides,
soft closing.

R 2 795

inc.Vat

Width :
Height :
Depth :
Weight :

260
525
445 / 495
30kg



Infinity Plus 255+ MADE IN ITALY



300 Solid base pull-out larder
with full extension slides,
soft closing & door brackets.

R 9 149

inc.Vat

Width :
Height :
Depth :
Weight :

250
1215 - 2180
445 / 505
120kg



Infinity Plus 255+ MADE IN ITALY



450 Solid base pull-out larder
with full extension slides,
soft closing & door brackets.

R 10 278

inc.Vat

Width :
Height :
Depth :
Weight :

400
1215 - 2180
445 / 505
120kg



Infinity Plus 230a+ MADE IN ITALY



600 Solid base pull-out tandem
with soft opening-closing
and 12 solid base baskets

R 12 962

inc.Vat

Width :	560
Height :	1800
Depth :	470
Weight :	80kg



Infinity Plus 371+ MADE IN ITALY



Pull-out shelves for corner cabinet,
two melaminated bottom shelves
with plating. Right and left version

R 4 468

inc.Vat

Min door size :
Min Cupboard size :
Depth :
Weight :

410
900
490
20kg



Infinity Plus 258+ MADE IN ITALY



150 Solid base pull-out larder
with full extension slides,
soft closing & door brackets.

R 7 745

inc.Vat

Width :
Height :
Depth :
Weight :

100
1880 - 2180
455 / 505
80kg



Infinity Plus 295+ MADE IN ITALY



300 Solid base basket pull-out
hinged larder

R 7 292

inc.Vat

Width :	252
Height :	470
Depth :	1880
Weight :	80kg



Infinity Plus 295+ MADE IN ITALY



450 Solid base basket pull-out
hinged larder

R 7 310

inc.Vat

Width :	390
Height :	470
Depth :	1880
Weight :	80kg



Infinity Plus 295+ MADE IN ITALY



600 Solid base basket pull-out
hinged larder

R 7 608

inc.Vat

Width :	540
Height :	470
Depth :	1880
Weight :	80kg




Greenline Range

MADE IN ITALY



Greenline 002G MADE IN ITALY

only available
in Anthracite



150 pull-out basket
with left full extension slides,
soft closing.

R 898

inc.Vat


Width :
Height :
Depth :
Weight :

110
515
295 / 445 / 495
10kg



Greenline 004G MADE IN ITALY

only available
in Anthracite



300 pull-out basket
with left full extension slides,
soft closing.

R 1411

inc.Vat


Width :
Height :
Depth :
Weight :

260
525
445 / 495
30kg



Greenline 255G MADE IN ITALY

only available
in Anthracite



300 Basket pull-out larder
with full extension slides,
soft closing & door brackets.

R 7 050

inc.Vat


Width :
Height :
Depth :
Weight :

250
1215 - 2180
445 / 505
120kg



Greenline 255G MADE IN ITALY

only available
in Anthracite



450 Basket pull-out larder
with full extension slides,
soft closing & door brackets.

R 7 295

inc.Vat


Width :
Height :
Depth :
Weight :

400
1215 - 2180
445 / 505
120kg



Greenline 295G MADE IN ITALY

only available
in Anthracite



300 basket pull-out
hinged larder

R 5 431

inc.Vat


Width :
Height :
Depth :
Weight :

252
470
1880
80kg



Greenline 295G MADE IN ITALY

only available
in Anthracite



450 basket pull-out
hinged larder

R 5 695


inc.Vat

Width :	390
Height :	470
Depth :	1880
Weight :	80kg



Greenline 295G MADE IN ITALY

only available
in Anthracite



600 basket pull-out
hinged larder

R 5 933

inc.Vat

Width :
Height :
Depth :
Weight :

540
470
1880
80kg



Materia Evo Range

MADE IN ITALY



Materia Evo 002ME MADE IN ITALY



150 Solid base pull-out baskets with painted metal sheet sides and laminate or glass insert, melamine bottom with full extension left slides, soft closing.

R 2 516

inc.Vat

Width :
Height :
Depth :
Weight :

110
515
295 / 445 / 495
10kg



Materia Evo 004ME MADE IN ITALY



300 Solid base pull-out baskets with painted metal sheet sides and laminate or glass insert, melamine bottom with full extension left slides, soft closing.

R 3 330

inc.Vat

Width :
Height :
Depth :
Weight :

260
525
445 / 495
30kg



Materia Evo 255ME MADE IN ITALY



300 Solid base pull-out baskets
with painted metal sheet sides and laminate
or glass insert, melamine bottom with
full extension left slides, soft closing.

R 12 027

inc.Vat

Width :
Height :
Depth :
Weight :

250
1215 - 2180
445 / 505
120kg



Materia Evo 255ME MADE IN ITALY



450 Solid base pull-out baskets
with painted metal sheet sides and laminate
or glass insert, melamine bottom with
full extension left slides, soft closing.

R 12 792

inc.Vat

Width :
Height :
Depth :
Weight :

400
1215 - 2180
445 / 505
120kg



Materia Evo 295ME MADE IN ITALY



300 Solid base pull-out hinged larder
with painted metal sheet sides
and laminate or glass insert,
melamine bottom with full
extension left slides, soft closing.

R 8 229

inc.Vat

Width :
Height :
Depth :
Weight :

252
470
1880
80kg



Materia Evo 295ME MADE IN ITALY



450 Solid base pull-out hinged larder
with painted metal sheet sides
and laminate or glass insert,
melamine bottom with full
extension left slides, soft closing.

R 8 845

inc.Vat

Width :	390
Height :	470
Depth :	1880
Weight :	80kg



Materia Evo 295ME MADE IN ITALY



600 Solid base pull-out hinged larder
with painted metal sheet sides
and laminate or glass insert,
melamine bottom with full
extension left slides, soft closing.

R 9 578

inc.Vat

Width :
Height :
Depth :
Weight :

540
470
1880
80kg



Materia Evo 371ME MADE IN ITALY



The 371ME is a product for
the kitchen corner unit.
Composed of two pull-out
shelves in painted sheet metal
with melamine bottom and glass insert.
Available in right and left versions.

R 5 915

inc.Vat

Width :	540
Height :	470
Depth :	470
Weight :	25kg



Bins

MADE IN ITALY



Art530 MADE IN ITALY



Double pull-out waste bin
28 litres capacity

R 1 283

inc.Vat

Width :
Height :
Depth :

255
398
450



Art572 MADE IN ITALY



Double pull-out
Quadrifoglio wastebin,
full extension slides with soft close
60 litres capacity

R 4 540

inc.Vat

Width :
Height :
Depth :

460
480
505



Art500 MADE IN ITALY



Round wastebin
13 litres capacity

R 597
inc.Vat

Width :
Height :
Depth :

277
355
277

Furniture Catalogue

THE KITCHEN STUDIO

www.kitchenstudio.com



Square Table 1500 x 1500

	veneer top with solid legs natural	veneer top with solid legs stained	completely solid natural	completely solid stained	engineered veneer on MDF
oak	R14379	R16178	R16536	R18603	R16178
beech	R14323	R16114	R16471	R18531	R16114
steamed beech	R14323	R16114	R16471	R18531	R16114
maple	R16470	R18528	R18940	R21308	R18528
cherry	R14977	R16850	R17223	R19375	R16850
mahogany	R14977	R16850	R17223	R19375	R16850
walnut	R20352	R22897	R23406	R26331	R22897
red heart beech	N/A	N/A	R17223	R19375	R 16 849



4 seater Round Table 1200 diameter

	veneer top with solid legs natural	veneer top with solid legs stained	completely solid natural	completely solid stained	
oak	R13867	R15599	R15947	R17940	
beech	R13824	R15553	R15897	R17886	
steamed beech	R13824	R15553	R15897	R17886	
maple	R1540	R17335	R17721	R19935	
cherry	R14307	R16095	R16454	R18510	
mahogany	R14307	R16095	R16454	R18510	
walnut	R18275	R20559	R21016	R23642	
red heart beech	N/A	N/A	R16454	R18510	



6 seater Round Table 1500 diameter

	veneer top with solid legs natural	veneer top with solid legs stained	completely solid natural	completely solid stained	
oak	R17696	R19908	R20350	R22893	
beech	R17631	R19835	R20013	R22811	
steamed beech	R17631	R19835	R20276	R22811	
maple	R20101	R22615	R23118	R26007	
cherry	R18383	R20681	R21141	R23783	
mahogany	R18383	R20681	R21141	R23783	
walnut	R18825	R21179	R21649	R24355	
red heart beech	N/A	N/A	R21141	R23783	



10 seater Round Table 1800 diameter

	veneer top with solid legs natural	veneer top with solid legs stained	completely solid natural	completely solid stained	
oak	R21155	R23800	R24329	R27370	
beech	R20991	R23616	R24140	R27157	
steamed beech	R20991	R23616	R24140	R27157	
maple	R24451	R27509	R28119	R31635	
cherry	R22045	R24800	R25352	R28521	
mahogany	R22045	R24800	R25352	R28521	
walnut	R30711	R34549	R35318	R39733	
red heart beech	N/A	N/A	R25352	R28521	



6 seater Rectangular Table 2100 x 1000

	veneer top with solid legs natural	veneer top with solid legs stained	completely solid natural	completely solid stained	engineered veneer on MDF
oak	R13398	R15071	R15407	R17333	R15071
beech	R13362	R15032	R15366	R17287	R15032
steamed beech	R13362	R15032	R15366	R17287	R15032
maple	R14721	R16562	R16930	R19045	R16562
cherry	R13775	R15498	R15842	R17822	R15498
mahogany	R13775	R15498	R15842	R17822	R15498
walnut	R17181	R19328	R19757	R22227	R19328
red heart beech	N/A	N/A	15842	17822	R 15 497



Engineered Walnut Table 1800 x 900 R 20 082

excluding work-top

Regency Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 2 640

excl. fabric





Walnut Table

with 20mm quartz top 2100 x 1000

R 22 770

Beaulieu Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 3 300

excl. fabric





Solid Bench 1700 x 300

	veneer top with solid legs natural	veneer top with solid legs stained
oak	R5383	R6192
beech	R5375	R6181
steamed beech	R5375	R6181
maple	R5742	R6602
cherry	R5486	R6310
mahogany	R5486	R6310
walnut	R6404	R7363
red heart beech	R5486	R6310



Oxford Chair
R 3 000
 excl. fabric




8 seater Red Heart Beech Table & Bench 2100 x 1000

“Z” Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 4 620





Solid Oak Table Square
1500 x 1500

R 17 829

Riempie Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 3 300





Solid Oak Table Round

1500mm diameter

R 19 503

Solid Oak Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 4 620
excl. fabric






Urban Bar Stool

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 3 600

excl. fabric

620mm Height for 890/930 High Counter Tops
820mm Height for 1050/1100 High Counter Tops





Roma Bar Stool

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 2 838

excl. fabric

620mm Height for 890/930 High Counter Tops
820mm Hieght for 1050/1100 High Counter Tops





Buckingham Chair

Available in Oak, Beech,
Steamed Beech, Maple ,
Cherry & Mahogany
Add 10% for Walnut &
Red Heart Beech

R 4 620

excl. fabric





Bevelled Glass Table

with rustic oak leg support 1800 x 900

R 15 840

Bauhaus Collection

THE KITCHEN STUDIO

www.kitchenstudio.com

STOOL



R 2000

inc.Vat

Available in real veneer



Rosewood

Beech

Maple

Frame colour options



Matt Black

Metallic Silver

Gold

Matt White

Bronze



Dark Grey

Cubanite

Basalt

BOOK SHELF



R 4500

inc.Vat

Size : H1600 x W800 x D350

Available in 16mm real veneer



Rosewood

Beech

Maple

Frame colour options



Matt Black

Metallic Silver

Gold

Matt White

Bronze



Dark Grey

Cubanite

Basalt

COFFEE TABLE



R 2400

inc.Vat

Size : H500 x W1350 x D900

Available in 16mm real veneer



Rosewood

Beech

Maple

Frame colour options



Matt Black

Metallic Silver

Gold

Matt White

Bronze



Dark Grey

Cubanite

Basalt



Fittings

THE KITCHEN STUDIO

www.kitchenstudio.com

ITALIANA FERRAMENTA is specialized in the production of high quality accessories and ironmongery for the furniture industry. Thanks to its flexible and dynamic structure, ITALIANA FERRAMENTA can be considered by its customers as a qualified partner able to suggest valid solutions to the problems of furniture assembly. Moreover ITALIANA FERRAMENTA can guarantee to its customers the possibility of using products that have an important characteristic: diversity.

Research and Development



Awards

ELEF ANT



LIKU



KIMANA

GOOD DESIGN
AWARD, 2012

SE CRET



BEST OF THE BEST
CATEGORY

TARGET



High product quality
2017 EDITION

LIBRA



ATACAMA J



LIKU



KIMANA



SE CRET



TARGET




TARGET




Lift up gas systems for wide range of cabinet shutters. Premium and exclusive cylinder finish and die cast design with opening angle adjustments.




ADJUSTMENTS



INCREASE OPENING ANGLE
Rotate the rotary knob.




REDUCE OPENING ANGLE
Move forward and backward the piston base plate in the bracket slot.




L. 244 $\alpha^\circ = +5^\circ / -6^\circ$
L. 355 $\alpha^\circ = +2^\circ / -6^\circ$

KRABY LIFT UP FRICTION L. 244 mm
Door in MDF 18 & 19 mm thick

Door height Door width and n° of Kraby x N




600 1 x 60 N
900 1 x 90 N
1000 1 x 90 N
1200 2 x 60 N



600 1 x 60 N (for 18mm thick)
600 1 x 90 N (for door 19mm thick)
900 2 x 60 N
1000 2 x 60 N
1200 2 x 60 N

KRABY LIFT UP FRICTION L. 355 mm
Door in MDF 18 & 19 mm thick

Door height Door width and n° of Kraby x N



600 1 x 90 N
900 2 x 60 N
1000 2 x 60 N
1200 2 x 90 N



KRABY

Drop down




Drop down gas systems for wide range of cabinet shutters. Premium and exclusive cylinder finish and die cast design with opening angle adjustments.

OPENING SYSTEM

R 880 per door


inc.Vat




KRABY DROP DOWN L. 244 mm Door in MDF 18 & 19 mm thick		KRABY DROP DOWN L. 355 mm Door in MDF 18 & 19 mm thick	
Door height	Door width and n° of Kraby	Door height	Door width and n° of Kraby
 H 360	600 1 pc.	 H 600	600 2 pcs.
	900 2 pcs.		900 2 pcs.
	1000 2 pcs.		1000 2 pcs.
	1200 2 pcs.		1200 2 pcs.
 H 400	600 2 pcs.		600 2 pcs.
	900 2 pcs.		900 2 pcs.
	1000 2 pcs.		1000 2 pcs.
	1200 2 pcs.		1200 2 pcs.




ADJUSTMENTS



INCREASE OPENING ANGLE
Rotate the rotary knob.



REDUCE OPENING ANGLE
Move forward and backward the piston base plate in the bracket slot.



L. 244 α° = 90° max
L. 355 α° = 90° max

OPENING SYSTEM

R 933 Including Kimana hinges


inc.Vat

LINK

Elegant design. Unhanded mechanism with different setting forces to suit a wide range of doors. It provides soft opening and smooth closing operated by the thin metal wire. 90° opening angle adjustment device.
*IDEAL FOR DRINKS CABINET OR GAMING CONSOLES.



ADJUSTMENTS



SOFTWARE CONFIGURATOR


to select setting code according to door specifications:

www.italianaferramenta.com


Click on section "SOFTWARE", scroll down and click icon "LINK".



SOFT OPENING



SMOOTH CLOSING



Soft opening and smooth closing are guaranteed only when opening and closing cycles are fully carried out.

KIMANA

HINGES



Door 18-19 mm without adapter

Boasting a minimalistic and elegant design, Kimana is also has a unique and exclusive movement. 3D adjustment and spacers for different cabinet/door thicknesses.




CABINET 16 mm WITH ADAPTER 4 mm THICK - DOOR 18-19 mm WITHOUT ADAPTER


0 + 2 mm FURTHER VERTICAL ADJUSTMENT



RECOMMENDED NUMBER OF KIMANA PER DOOR



Due to various factors, the quantities stated in the chart are indicative.



IN-DEPTH: 0+2 mm

LATERAL: 0+1 mm

VERTICAL: 0+2 mm



SHELF SUPPORTS

UNICO

Elegant die cast design with a sliding clip to ensure safe transportation & easy shelf repositioning.
For shelves minimum 15 mm thick with smooth pin Ø 5 mm.
In accordance with the European Regulations UNI EN 14749/05.
Load carrying capacity: 80 kg/per set of 4 pieces.



SHELF INSTALLATION



Shelf release through
fingernail socket.



Shelf release through
screwdriver blade socket.

SHELF SUPPORTS

K LINE with rubber pad

Fresh & slim design used for both wood and glass with smooth pin Ø 5 mm.
Same element for glass shelf by simply applying a bespoke layer of rubber.
In accordance with European Regulations UNI EN 14749/05.
Load carrying capacity: 80 kg/per set of 4 pieces.



The coloured part is
in clear soft rubber.



K PUSH TECH

L. 37 mm with buffer

PUSH TO OPEN

R 83

inc.Vat


Both concealed and attractive/sleek adapter housing in white/anthracite/light grey colours.

Long L.37 mm - 1.4 mm only for its activation - 7 mm of adjustment. Buffer for standard hinge applications.


Standard spring and also strong spring for heavy duty doors/flap doors.

*CAN BE USED WITH STANDARD CLIP OR SOFT CLOSE HINGE.


*CAN BE ADDED ON AS AN AFTER SALE OPTION.




INSTALLATION TO BE EMBEDDED
INSIDE THE PANEL




INSTALLATION THROUGH
ADAPTER HOUSING



WITH BUFFER
for cabinets using sprung hinges.



ADJUSTMENTS



SHELVING SYSTEMS

R 72 each

inc.Vat


KALABRONE MINI

From 5 up to 10mm thick glass shelves


Sleek design the shelf is safely clamped between soft rubber layers.






BRACKET ALIGNMENT



SHELF LOCKING



COMBINATION SHELF LOAD AND SHELF DEPTH
(The figures refer to 1 shelf support)



KALABRONE

For minimum 8 up to 30 mm thick shelves

Modern and squared design, ideal for both wood and glass shelves, performing heavy duty load. Shelf is clamped between a layer of ridged plastic on the lower side and soft rubber on the upper side. Useful 2D adjustments to perfectly align and tilt the shelf against the wall.


SHELVING SYSTEMS

R 361 per set


inc.Vat

COMBINATION SHELF LOAD AND SHELF DEPTH




(The figures refer to 1 shelf support)



BRACKET ALIGNMENT




SHELF LOCKING AND INCLINATION




SHELVING SYSTEMS

R 110 each


inc.Vat




OPTIONAL SECURITY LOCKING




TRIADE



ADJUSTMENTS



TRIADE AND BRACKET




TRIADE SYSTEM


Excellent load capacity with 3D adjustments to ensure perfect installation. Use additional T-bracket for anchoring support in case of weaker walls.

COMBINATION SHELF LOAD AND SHELF DEPTH


(The figures refer to 1 shelf support)



+ shelf weight = 15 kg
MAX for each shelf support



Cover Cap in Iron and nickel plated, an essential detail to add that extra touch to your exclusive furniture.
To be simply inserted onto any Ø 5 mm hole, making the aesthetics of your furniture more innovative and captivating.
is sheer ELEGANCE.



APC1 is a two-handed invisible screw fixing cabinet hanger requiring a simple installation, without any pre-drilling operations.

It can be installed on cabinets with a minimum sanitary gap of 16 mm.

Independent Vertical and In-Depth adjustment to easily and quickly align the cabinet against the wall.


The adjustments can be carried out from the inside of the cabinet through a hole covered through a round cover caps.

Capacity loading 65 Kilos per piece (130 Kilos per pair).


In accordance with the European Regulation UNI EN 15939.




INSTALLATION UNDER THE CABINET TOP





INSTALLATION ON THE WALL



COVER CAP INSERTING



ADJUSTMENTS



LIBRA H7

Optional alu bars for extra hanging points

R 228
per cupboard
inc.Vat

Conceived for suspended base units.
Excellent load capacity, 3D adjustments, and cover caps to make it discreet.
Optional aluminium bars for even better capacity loading and stability.
Comes with in built anti-turnover lock.


*MAXIMUM : 600 DEEP + DRAWERS.
*NO HEIGHT RESTRICTION.



LIBRA H7 SCREW
FIXING WITH "PEG
JOINT"



LIBRA H7 SCREW FIXING WITH "PEG
JOINT" WITH ALU BAR H 80,5 mm




LIBRA WP5






■ = STRESS INTENSITY LEVEL ON THE WALL



By adding extra hanging points on the aluminium bar, the capacity loading is more evenly distributed, thus sensibly reducing the stress intensity level on the wall.




- 1 VERTICAL 13 mm
- 2 IN DEPTH 12 mm
- 3 ANTI-TURNOVER LOCKING






Worktop connector Ø35 L. 150 mm

Conceived to horizontally join two worktops or panels together minimum 25 mm thick.
Fast and easy installation as the two elements don't fall when inserted into the related housings.
Tightening steel dowel 150 mm long.
Fastening travel 6 mm.



INSTALLATION AND CONNECTION




CONCEALED HANGER

HANGERS


Ideal for fixing mirror panels
A through hole in the top edge, allows to align brackets vertically.
Lateral adjustment which allows user-friendly fixing in place of mirrors and panels
Capacity loading 80 Kilos per pair.




INSTALLATION ON THE REAR PANEL AND ON THE WALL




ADJUSTMENTS



LATERAL ADJUSTMENT



VERTICAL ADJUSTMENT



WARDROBE FLAT PACK



TARGET

Application A



Application A1



PK2 - Easy shelf repositioning

Application B



Application B1



INTEGRATO A h 25 mm - Skirting clip and dowel


Application C



APPLICATION C


INTEGRATO

Suitable to align heavy duty wardrobes, bookcases and modular furniture. Leveller with 25 mm height adjustment and 175 kgs load capacity with in-built glide that prevents floor scratching. Adjustment to be carried out through Ø8 mm hole in the furniture bottom by using a S6 mm allen wrench or both cross and blade screwdriver.



SKIRTING CLIP AND DOWEL

Harmonic steel clip to be fixed to the plinth with a screw and steel dowel Ø 10 mm with Ø 5 mm wood thread screwed onto the side panel. Plinth clip is horizontally pressed and clicks onto the steel dowel. Extremely fast and stable installation.



APPLICATION A - A1




TARGET




Strong and easy solution for connecting cabinet bottoms and tops with worm gear mechanism.

Small 10 mm diameter makes it aesthetically minimalistic.

It can be pre-assembled in the panels and fixed at site in minutes.




Place the pinion screw from above.




By turning the pinion screw, the threaded dowel makes a synchronized rotation.

APPLICATION FOR END PANEL
16 mm THICK



APPLICATION FOR INTERNAL PARTITION
16 mm THICK



APPLICATION B - B1






PK2

Join any shelf and side by rotating in-built minifix 90° to obtain a click for lock position.


Easy shelf repositioning by reversing the operation. Side bracket with pre-inserted spreading bush and screw for shelf repositioning without damaging the hole. Ideal also to join short partitions inside the wardrobe.

INSTALLATION



STRUCTURAL FASTENING WITH CROSS PZ2 SCREWDRIVER:


90° turning from the lower side, for the shelves and for the top.




VIS

Bed flat - pack

Especially conceived to join bed sides and panels.
It boasts two different tightening positions, standard **+** and strong **++**, which helps in case of inaccurate drillings, or for refreshing the tightening, without dismantling the whole structure.






INSTALLATION AND ASSEMBLING



NON-SLIP MATS

In light grey colour for doors and drawers.
Latest design in wave finish.
Dripless.

EXAMPLE:



DRIPLESS for Prep / Sink units - AVAILABLE IN LIGHT GREY

- 580 x 1,7 mm thickness - for Prep / Sink Units

R 278
inc.Vat



WEAVE FINISH - AVAILABLE IN LIGHT GREY

- 465 x 1,2 mm thickness - for Drawers and Pot drawers


R 142
inc.Vat

- 580 x 1,2 mm thickness - for Base / TU / GC / ELO Units

R 193
inc.Vat

KIARO OPENING SYSTEM

with aluminium profile



KIARO is an opening system for drop down doors with a concealed mechanism which allows to adjust the settings depending on door weight and dimension, thus enabling to manage a wide range of doors with only one reference. As it is a two-handed mechanism, it can be installed both on right and left side. A high resistance technical wire grants a significant loading capacity together with minimal shapes and elegant design. Available in two finishes which respond to the current overriding trends in the furniture appliances industry. It is conceived also to be installed with integrated led lighting.

R 993
inc.Vat



Fittings

THE KITCHEN STUDIO

www.kitchenstudio.com




CLOTHES LIFT

Aluminium / Plastic



R 810

inc.Vat




INSET BIN

8 LITRE - Stainless Steel





R 472

inc.Vat



VEG / GROCERY / LINEN BASKET

with FULL EXTENSION RUNNERS



Unit Size	Finish	col	w x d x h	price
900	Chrome	cp	865 x 440 x 140	R 510 inc.Vat



 **Hettich** FITTINGS

THE KITCHEN STUDIO

www.kitchenstudio.com



INNOTECH GROCERY CUPBOARD INTERNAL DRAWERS WITH ALUMINIUM FRONTS

Pricing

Size	Standard Drawer	Deep Drawer
450	R 1201 <small>incl. VAT</small>	R 1612 <small>incl. VAT</small>
500	R 1201 <small>incl. VAT</small>	R 1612 <small>incl. VAT</small>
600	R 1289 <small>incl. VAT</small>	R 1691 <small>incl. VAT</small>
800	R 1465 <small>incl. VAT</small>	R 1947 <small>incl. VAT</small>
900	R 1465 <small>incl. VAT</small>	R 1947 <small>incl. VAT</small>
1000	R 1465 <small>incl. VAT</small>	R 1947 <small>incl. VAT</small>

ArciTech double walled drawer system


- Solutions with bottom cutout
- Powder coated steel, anthracite





- For utilising the space below the U bend
- For drawers and pot-and-pan drawers

R 314.00 incl.VAT

Dimensional drawing



Dimensions for cutting to size



- Dimension A = NL - 24,5
- Dimension B = LB - 2 x EB - 52
- Dimension C1 = K - 11,5
- Dimension C2 = H - 11,5

InnoTech Atira double walled drawer system


- Solutions with bottom cutout
- Powder coated steel, white




- For utilising the space below the U bend
- For pot-and-pan drawers with a nominal length of 350 mm and over
- Chrome look

R 700.00 incl.VAT

Dimensional drawing




Dimensions for cutting to size



- Dimension A = NL + 10 (wooden rear panel) / NL - 3 (aluminium rear panel)
- Dimension B = LB - 2 x EB - 51.5
- Dimension C1 = K - 20
- Dimension C2 = H - 20
- Dimension D = 144 (wooden rear panel)
- Dimension L = 280 (wooden rear panel) / 267 (aluminium rear panel)
- Dimension M = 290 (wooden rear panel) / 277 (aluminium rear panel)

Change 2-leg desk support


2-leg frame, round



- ▶ For use on left / right
- ▶ Compensation for uneven floors 15 mm via adjustment screw
- ▶ Total load including desk top equals 100 kg per desk top with even load distribution
- ▶ Including fixing material
- ▶ Powder coated steel, aluminium look

R 900.00 incl.VAT

2-leg frame, rounded



- ▶ For use on left / right
- ▶ Compensation for uneven floors 15 mm via adjustment screw
- ▶ Total load including desk top equals 100 kg per desk top with even load distribution
- ▶ Including fixing material
- ▶ Powder coated steel, aluminium look

R 1 258.00 incl.VAT

Trimanis table extension runner

- ▶ Divided table top - fixed position table legs
- ▶ Basic Advanced

Basic Advanced



- ▶ Table extension runner for table lengths from 800 - 1800 mm extending to max. 2800 mm
- ▶ For frame profiles
- ▶ With synchronised control (for simultaneously opening and closing both table tops)
- ▶ Integrated rope brake
- ▶ Load class: installed length 600 mm = 60 kg / installed length 850 / 1350 mm = 90 kg
- ▶ Can be combined with retractable flap fitting
- ▶ Outer profile steel, galvanised
- ▶ Inner profile aluminium

Set comprises:

- ▶ 1 pair of table extension runners
- ▶ 8 or 12 dowels / sleeves

Page reference:



- ▶ For retractable flap fitting, see page 750 - 751
- ▶ For accessories, see page 752 - 755

Installed length mm	For table length mm	Number of extension leaves	Width extension leaves mm	PRICE
850	1000 - 1400	1	500	R815
1350	1500 - 1800	2	500	R1000

Operating principle



Planning dimensions



Coat hanger holder with drawer runner based on Quadro



► Coat hanger holder FOR SHALLOW BIC'S



- For installation under the shelf
- Top running performance
- 25 kg load capacity to EN 15338, Level 1
- Quadro drawer runner, steel, lacquered silver or white
- Hanging rail, steel, nickel plated

Inside carcase depth (KT) mm	Length (A) mm	
400	395	Silver

R 978.00 incl.VAT



Interior fittings for wardrobes


► Coat hanger holder



- For installation on carcase side
- Can be installed in two positions
- Stainless steel / plastic, grey

R 512.00 incl.VAT

Dimensional drawing



Telescopic trouser holder with Silent System

- ▶ Trouser holder
- ▶ Telescopic trouser holder with Silent System



- ▶ Installation between carcass sides
- ▶ Trouser holder with non-slip rings
- ▶ Load capacity 15 kg
- ▶ Including shelf, can be optionally fitted
- ▶ Runner complete with Silent System
- ▶ Powder coated steel, silver


Set comprises:

- ▶ 1 trouser holder
- ▶ 1 pair of runners
- ▶ 1 shelf
- ▶ 2 spacers for width 462, 562 and 762 mm
- ▶ 4 spacers for width 962 mm

For carcass width mm	Number of trouser holders	W x D x H mm		PU
1000	17	962 x 506 x 53		1 set

R 3 266.00 incl.VAT

Dimensional drawing



Amari pull-out laundry basket

- ▶ Trouser holder
- ▶ Telescopic trouser holder with Silent System



- ▶ Installation between carcass sides or also with adapter on the Amari 200 shelf system
- ▶ Width adjustable
- ▶ Load capacity 30 kg to EN 15338 Level 3
- ▶ Minimum inside carcass depth 485 mm
- ▶ Powder coated steel, silver / grey cotton



Set comprises:

- ▶ 1 Amari laundry basket, cover can be removed and washed
- ▶ 1 pair Quadro V6 full extension runners with Silent System
- ▶ 2 cover caps, grey

Width mm		PU
550 - 600		1 set

R 4 336.00 incl.VAT

Dimensional drawing



Pull-out shoe rack frame, width adjustable



- ▶ For installation between carcass sides
- ▶ Optionally with ball bearing runners with Silent System or roller runners without Silent System
- ▶ Infinitely variable width adjustment
- ▶ Load capacity 15 kg
- ▶ Shoe rack 270 mm long
- ▶ Pull-out shoe rack frame, steel, chrome plated or powder coated in silver
- ▶ Roller runner, powder coated steel, silver
- ▶ Ball bearing runner, chrome plated steel

Set comprises:




- ▶ 1 pull-out shoe rack frame
- ▶ 1 pair of roller runners or ball bearing runners including Silent System

R 1 307.00 incl.VAT

Type	W x D x H mm	For inside carcass width mm	Finish	PU
With Silent System KA 4532 ball bearing runner	705 x 510 x 135	735 - 815	Chrome plated	1 set




The sliding door system with a variety of options for huge flexibility **TopLine L**



2 door sliding system

Soft close mechanism x2 @ R1420 per set
Total price with Soft close mechanism :

R5980 inc.VAT



3 door sliding system

Soft close mechanism x2 @ R1420 per set
Total price with Soft close mechanism :

R7509 inc.VAT



A talented all-rounder with many qualities

TopLine L

Sliding doors leave no margin of doubt when it comes to practical functionality and y. Supreme user friendliness and individually tailored design versatility make them the ideal answer to the demands of modern living. The TopLine

these demands with perfection – from ease of installation to convenience of use.

Combination with the Silent System Flexible 50 and 80 gently closing systems provides added convenience. This way, even heavy, large doors reliably close with a mere whisper. That's advanced technology from Hettich.



The easy-to-install sliding door system with integrated height adjustment feature TopLine L



Suitable for use with door thicknesses ranging from 16 to 40 mm, TopLine L easily meets the modern-day wish for individuality and ultimate flexibility.

The same running and guiding components can be used for solid and aluminium-framed fronts. TopLine L provides an astonishing range of options for selecting aluminium door frame profiles. The multitasking fitting among sliding door hardware ensures unrestricted use from a frame width of just 50 mm.


The doors are simply placed onto the running profile. Quick-mounting guiding components guarantee the greatest possible convenience right from the word go. The guides simply clip into the bottom guiding profile. Height is conveniently adjusted with the doors in place without having to undo the fixing screw on the runners. This also makes child's play of positioning doors for neat gap alignment.

Perfect design to excite, lasting quality and impressive user friendliness: TopLine L sets new standards for tomorrow's furniture.



Technical details in brief

- 2-track, top-running sliding door fitting
- Overlay door position
- Door weight up to 50 kg
- Door height up to 2600 mm
- Door width 700 mm - 1500 mm
- Door thickness
16, 18, 19, 21, 22, 25, 40 mm
- Height adjustment ± 3 mm
- Rack plated running components
- 2 opening options:
completely flush or offset when
using projecting handles
- Quick-mounting guiding components



Optimum sliding door performance is determined by door width, height and weight.

TopLine L meets the Hettich quality standard, based on EN 15706, within the marked height/width ratio. In the door-closing test described in this standard, the door is accelerated with a tensile load of 4 kg and is required to withstand a defined number of closing cycles. Maximum door weight is 50 kg.

Sliding door system TopLine L

Quality that meets all of demands


The TopLine L sliding door system is constantly monitored for quality. The varying quality standards demanded by different markets and segments are each taken into account. The diagrams below show examples of some of the testing processes and what they involve.

Quality criteria

- Endurance test over 40,000 cycles
- Closing test with a tensile load of 4 kg
- Lift-out test with 250 N
- Load test in horizontal direction with 250 N


Endurance test

The door is required to withstand a specific number of opening and closing cycles at a defined speed.




Lift-out guard

The door is pulled up and forwards at an angle with a defined force and must neither come off or fall out of the cabinet.



Closing test


The door is required to withstand a specific number of closing cycles performed under a defined tensile load.



Test to DIN EN 15706

Horizontal safety test

Pressure is applied to the middle of the door with a defined force. The door must neither come off or fall out of the cabinet.



Wing Line 770

- Suitable for use throughout the home
- Door weight max 20kg per door panel
- Door height max 2200mm
- Door panel width max 500mm
- For use with wood and wood framed doors


With Wing Line 770 doors fold open and shut at a touch. The super soft & safe door action is appreciated especially in bedrooms.



**Wing Line 770 - 1 Door
folding to the left, 1 door with 2 panels**

parts included

- | | |
|---------------|-------------------------------|
| 1 x HE0070968 | (Left Runner Set) |
| 1 x HE1079089 | (Top Runner Profile 2000mm) |
| 1 x HE0072919 | (Bottom Guide Profile 2000mm) |




R1 870 inc.VAT

**Wing Line 770 - 1 Door
opening to the right, 1 door with 2 panels**

parts included

- | | |
|---------------|-------------------------------|
| 1 x HE0070969 | (Right Runner Set) |
| 1 x HE1079089 | (Top Runner Profile 2000mm) |
| 1 x HE0072919 | (Bottom Guide Profile 2000mm) |




R1 870 inc.VAT

**Wing Line 770 - 2 Door
openings to the right and the left, 2 door with
2 panels per door**

parts included

- | | |
|---------------|-------------------------------|
| 1 x HE0070968 | (Left Runner Set) |
| 1 x HE0070969 | (Right Runner Set) |
| 1 x HE1079089 | (Top Runner Profile 2000mm) |
| 1 x HE0072919 | (Bottom Guide Profile 2000mm) |



R2 734 inc.VAT



INNOTECH DRAWERS & POT DRAWERS

DRAWER 500/600/900 : R 802 Inc Vat

POT DRAWER 600/900 : R 1086 Inc Vat

STEEL CUTLERY DIVISIONS :

500	R 870	Inc Vat
600	R 870	Inc Vat
900	R 1741	Inc Vat



ARCITECH 80KG SILENT SYSTEM

DRAWER : R 1180 Inc Vat

POT DRAWER : R 1384 Inc Vat

STEEL CUTLERY DIVISIONS :

500	R 1398	Inc Vat
600	R 1398	Inc Vat
900	R 2795	Inc Vat



Sliding door system for modern furniture design: SlideLine M

R4 454 inc.VAT
Mechanism only

Slide it. Love it.

Everyone does it: Slide it. Love it.


People like to keep it simple. On their tablet PCs. On their smartphones. The revolutionary aesthetic appeal of virtual sliding fascinates millions: gentle, flowing movement, simply at the touch of a finger.

But sliding in the real world is captivating more and more people: cars that provide real practical value come with a sliding door; a sliding sunroof creates a sensation of openness and space, and at home there we are sliding panel curtains and doors, whether as room dividers or on furniture.

The trend towards sliding is also opening new doors for you: Hettich gives you sliding door systems that go perfectly with your furniture ideas. For bedroom, living room, office and kitchen furniture.

Are you open to a new love? Welcome to Hettich.





Ergonomics

Always in reach. Never in the way.

In terms of ergonomics and convenience, sliding doors are a cut above any other door system. That's clear to see in everyday use: open sliding doors don't get in the way where space is at a premium. Open doors on wall units are not likely to leave you injured. Sliding doors are also easy to open without stretching or dodging out the way.

Design

Unadulterated form. Distinctive surfaces.

Sliding doors provide the key to picking up on modern, spacious interior design and cleverly carry it through in furniture. Because large surface doors, particularly with flush fitted sliding door systems, are the ideal creative element for purist interior design.

Hettich sliding door systems impress with narrow reveals that hardly detract from the homogeneous look of furniture fronts. Only a few reveals are visible on large format fronts anyway; elegant fascias reduce the number of reveals to a minimum.

Easy precision adjustment provides superb finished results with perfect gap alignment.




Functionality

Easy to begin with. Then quiet.

Sliding doors are particularly good at meeting the demands users place on cabinet doors today: they are easy to open and close.

The ergonomic benefit of linear door movement (see page 3) is optimised further still by low opening forces. Convenient Silent System closes the sliding door quietly and gently.

Altogether, Hettich sliding door systems leave no margin of doubt with reliable quality, superb smooth gliding action and long life.



One system, many applications: SlideLine M




Scope for new ideas: SlideLine M



It's your ideas that decide

SlideLine M turns simple shelf units into attractive pieces of practical furniture with a look that can be varied all the time: moving the doors to different positions creates ever changing constellations of open and closed elements. This gets things moving in furniture design. And never fails to please. It's your ideas that decide. Discover the wealth of applications for SlideLine M.









High creative flexibility from different door materials

SlideLine M gives you all the options in designing your furniture – can be used for wooden, aluminium framed or glass doors weighing up to 30 kg.



Easy installation on the assembled carcass

The SlideLine M system uses runner profiles that are quick and easy to install – as they simply screw into place. Cleverly designed mounting accessories means it only takes one person to install the system. As all installation steps are carried out from the front and not from the side, SlideLine M can be used for creating wall to wall units without a problem.



Neat look.

Discreetly vanishing into the background, SlideLine M's working components don't intrude on the design of furniture. With the profile projecting by a mere 8 mm, sliding doors can be mounted for a particularly close hugging fit. Two doors can cross each other in just one profile.

Different shelf thicknesses? Not a problem: different profile sets in profile heights of 16 – 38 mm provide perfect positive locking solutions. And the silver or black decorative profile blends elegantly into the design of furniture.



First-class soft closing action: Silent System

Perfectly soft stopped sliding doors underscore the quality of furniture. Silent System is unobtrusively integrated in SlideLine M's runner component and closes doors gently and quietly.

And where several sliding doors run side by side in one profile, Silent System in colliding direction can slow them down as they move towards each other.



Even gaps, perfect design.

Sliding doors can be perfectly aligned with the integrated height adjustment (± 2 mm).



Tool-less fast installation

Save time and effort: the SlideLine M system makes easy, fast work of installing sliding doors. After pulling the guide component down by means of a spring mechanism, it can be inserted and engaged in the top profile without the need for tools. Runner and guide components simply screw into place – no special work needs to be carried out on the fronts.

AvanTech YOU drawer system





Why AvanTech YOU ?

Easy to install and with options to retrofit into existing spaces, AvanTech YOU also has the biggest scope for customised design.

Slim design: a sleek 13 mm drawer side profile and more accessories for customisation.

Optimised drawer performance: one drawer, two runners. Interchangeable due to compatible drilling patterns and with Hettich's unmatched Push to Open and Silent System close technology.

Efficient and cost effective production: production and assembly processes guarantee cost effectiveness and efficient work flows while at the same time providing the basis for a broad product lineup.



KEY FEATURES



Design diversity and creative flexibility: different shapes, colours and materials for design continuity inside and out.



Many options for customisation: additional design profiles and DesignCapes.



Function and form: looks good, performs too. High quality runners and strong underlying technology for a robust and durable draw.

AvanTech YOU is a “double walled” drawer system



DRAWER
HEIGHT : 101mm

30 KG
R 802
incl.VAT

70 KG
R 1180
incl.VAT



POT DRAWER
HEIGHT : 187mm

30 KG
R 1086
incl.VAT

70 KG
R 1384
incl.VAT

Currently only available on 570mm deep carcasses

Speak to one of our knowledgeable consultants OR visit our showroom for more info

THE KITCHEN STUDIO



FRANKE

SINKS & TAPS

THE KITCHEN STUDIO

www.kitchenstudio.com




Stella undermount sink

Code : SVX110-40

R 1 300
incl. VAT

The new Stella SVX110-40 Undermount Sink featured above **with Zeeta Swivel - R 1 430 (pg6)**

The 190mm deep bowl undermount sink from Franke Europe, allows the natural beauty of your counter to be uninterrupted by the edges of your sink as well as increasing the counter space to your kitchen.



Sink Dimensions:	428Lx428W mm
Bowl Dimensions:	400Lx400Wx190D mm
Cut-Out Dimensions:	Please see template included in packaging.
Fitting:	90mm Basket Strainer waste fitting
Product Code:	1990044


25 Year Warranty



Kubus KBX110-45 undermount sink

R 4 068
incl. VAT

The Kubus undermount range offers a sleek, ultra-modern look within the kitchen. The Kubus range features deep bowls with radiused corners enhancing hygiene. Its ultimate geometric shape for sharp profiles in solid surfaces, with iconic good looks. Three different sizes are available, an assortment of bowls may be added to fully optimise your kitchen environment and to suit your requirements.



Dimensions:	480Lx430W mm
Bowl Dimensions:	450Lx400Wx180D mm
Cut-Out Dimensions:	Please see template included in packaging.
Fitting:	90mm Basket Strainer waste fitting
Product Code:	122 0014


25 Year Warranty



Kubus KBX110-55 undermount sink

R 4 573
incl. VAT

The Kubus undermount range offers a sleek, ultra-modern look within the kitchen. The Kubus range features deep bowls with radiused corners enhancing hygiene. Its ultimate geometric shape for sharp profiles in solid surfaces, with iconic good looks. Three different sizes are available, an assortment of bowls may be added to fully optimise your kitchen environment and to suit your requirements.



Dimensions:	580Lx430W mm
Bowl Dimensions:	550Lx400Wx190D mm
Cut-Out Dimensions:	Please see template included in packaging.
Fitting:	90mm Basket Strainer waste fitting
Product Code:	122 0016

25 Year Warranty



Kubus KNG

Code : KNG 110-52

undermount sinks

R 3 500
incl. VAT

NEW Innovative Kubus KNG sink has a modern square drain cover which is easy to clean & gives a flawless look
Available in an outstanding range of stain-proof metallic colours - Copper Grey, Copper Gold & Lunar Grey



Lunar Grey

Copper Grey

Copper Gold

Sink Dimensions: 560Lx460W mm
Bowl Dimensions: 520Lx420Wx200D mm
Cut-Out Dimensions: Please see template included in packaging.


5 Year Warranty



Cub 150

R 897

incl. VAT



Single Bowl
390 x 455
1 x basket strainer waste fittings



Neptune

Please specify whether Right or Left hand bowls are required.

Code : NEX621 LHD / NEX621 RHD

R 6 238

incl. VAT


Price includes a FREE Soap Dispenser
OR Lucido Swivel tap valued at R1166
See pg 7.

The 200mm deep bowl range from Franke Europe –a stylish new addition to the Franke range.

With the sleek design and recessed draining board preventing water splashing on work surfaces, the work area will remain dry and hygienic. Neptune features an overflow, a pre-cut tap hole and basket strainer waste fittings.

Sink Dimensions	1160 L mm x 510 W mm
Bowl Size	360Lmmx420Wmmx200Dmm
Cut-Out Dimensions	1144 L mm x 490 W mm
Product Code	Right Hand drainer : 1010004 Left Hand drainer : 1010005
Fittings	90mm Designer Basket Strainer Waste Fittings

25 Year Warranty





Genesis

Code : GSX621-120


R 2 472

incl. VAT



Sink Dimensions	1200 L mm x 500 W mm
Bowl Size	343 L mm x 410 W mm x D 157mm
Cut-Out Dimensions	1180 mmx480 mm
Fittings	90mm Designer Basket Strainer
Product Code	1990043-001

25 Year Warranty







Nouveau

R 1 338

incl. VAT



Top View




Double Bowl
1160 x 460
2 x basket strainer waste fittings



Cascade Professional

Code : 1150020




R 2 558 incl. VAT

Ceramic Disk Cartridge with Anti-scoold
Solid DZR Brass Construction
Smart Lime Cleaning Aerator
Chrome Plated
Flow rate: 12L/min
5 Year guarantee on body construction
2 Year guarantee on ceramic cartridge

Mirus Professional

Code : 1550023




R 2 658 incl. VAT

Ceramic Disk Cartridge with Anti-scoold
Solid DZR Brass Construction
Smart Lime Cleaning Aerator
Chrome Plated
5 Year guarantee on body construction
2 Year guarantee on ceramic cartridge



Zeeta Swivel

Code : 1150024




R 1430 incl. VAT

Ceramic Disk Cartridge with Anti-scald
Solid DZR Brass Construction
Smart Lime Cleaning Aerator
Chrome Plated
5 Year guarantee on body construction
2 Year guarantee on ceramic cartridge

Mirabella Swivel

Code : 1150025




R 1725 incl. VAT

Ceramic Disk Cartridge
Solid DZR Brass Construction
Smart Lime Cleaning Aerator
Chrome Plated
5 Year guarantee on body construction
2 Year guarantee on ceramic cartridge



Lucido Swivel

Code : 1150026




R 1166 incl. VAT

Ceramic Disk Cartridge with Anti-scoold
Solid DZR Brass Construction
Smart Lime Cleaning Aerator
Chrome Plated
5 Year guarantee on body construction
2 Year guarantee on ceramic cartridge

SD80 Soap Dispenser

Code : 2120059



R 897 incl. VAT

- Manufactured from chromium plated brass
- Incorporates a refillable 1 Litre polyethylene container for use with liquid soap
- 5 Year Warranty on Body Construction




REHAU

FLIPDOOR


The Art of Storage

THE KITCHEN STUDIO




When you approach storage space as design in its own right, and go beyond mere functionality and conventional ideas, a simple overhead kitchen cabinet can be transformed into something completely new – FLIPDOOR, or, as we like to call it, The Art of Storage.

The straight lines of its silhouette – with no visible track system – make a great first impression, but open FLIPDOOR cupboards are real lookers too. FLIPDOOR also offers outstanding practicality on every level, from its super-smooth scissor movement to the space-saving opening mechanism. It is even delivered pre-assembled and ready to fit.




Manufactured from durable, low-maintenance RAUVISIO crystal, FLIPDOOR blends seamlessly with other furniture made using REHAU surfaces.



R 30 000

900 x 780 x 350 inc.Vat



KEY FEATURES

FLIPDOOR is made using our exclusive RAUVISIO crystal glass laminate.
The material brings a whole range of advantages – and not just when compared to real glass.

Easy to handle



Efficient use of space – and stylish too



Perfect match with REHAU black gloss (Piano) crystal



Satisfying closing sound



No visible edges





REHAU
CRYSTAL
LINE

THE KITCHEN STUDIO

Ample storage space.
High quality, modern look.
RAUVOLET crystal-line gives you all this and more.
It combines the advantages of glass plus those of polymers
and is therefore more break-resistant and lighter than glass.
All whilst featuring a refined design and appearance.



R 10 846 each

900 x 1500 x 16mm

inc.Vat





A solution to suit every taste: RAUVOLET crystal-line frames the uniform finish of the front panel with a sophisticated metallic-look track system. RAUVOLET crystal-line complete uses RAUVISIO crystal throughout, including the track system and pelmets – avoiding any unwanted colour or material changes. An impressive combination that offers the perfect solution for every project.

Needs to be a specific colour? Rauvolet crystal-line offers the ideal solution. With the vario option we can create a customised colour match for you, even for small order quantities – for surfaces and tambour doors.

Product advantages

Appearance, quality, convenience – RAUVOLET crystal-line combines all of these in one.

The 50mm slats create a harmonious, flat front panel that offers outstanding scratch resistance and strength for everyday use. It also impresses with fantastic running properties, ensuring it is easy to use. The perfect total package.

Design match

A seamless kitchen front – the result of REHAU's sophisticated and integrated approach to design. Kitchen fronts, edgebands and tambour doors can be perfectly combined regardless of whether they are matt or high gloss. This coordinated design concept provides you with added freedom when planning a project, not just in the kitchen, but in all areas of interior design.

